

Cranview Gelbvieh 2016 Supplement

| Lot | Homo Polled | Ribeye Area | Fat thickness | Intramuscular Fat | Supplement |
|-----|---------------------|-------------|---------------|-------------------|---|
| 1 | homozygous polled | 15.7 | 0.26 | 2.42 | |
| 2 | not tested | 12.8 | 0.26 | 3.96 | Will to collect semen prior to delivery |
| 3 | OUT OF SALE | | | | |
| 4 | homozygous polled | 13.8 | 0.25 | 4.42 | Will to collect semen prior to delivery |
| 5 | homozygous polled | 13.92 | 0.23 | 3.12 | |
| 6 | scurred | 12.81 | 0.31 | 4.3 | |
| 7 | not tested | 13.14 | 0.23 | 2.7 | |
| 8 | not tested | 15.2 | 0.2 | 2.75 | |
| 9 | homozygous polled | 14.4 | 0.17 | 2.8 | |
| 10 | homozygous polled | 15.53 | 0.41 | 6.02 | Will to collect semen prior to delivery |
| 11 | homozygous polled | 14.09 | 0.22 | 3.55 | |
| 12 | not tested | 11.9 | 0.29 | 4.72 | |
| 13 | not tested | 12.94 | 0.12 | 3.32 | |
| 14 | homozygous polled | 13.91 | 0.36 | 3.02 | |
| 15 | homozygous polled | 13.84 | 0.33 | 2.81 | |
| 16 | not tested | 11.28 | 0.27 | 2.27 | |
| 17 | homozygous polled | 14.86 | 0.17 | 3.12 | |
| 18 | not tested | 12.4 | 0.26 | 2.67 | |
| 19 | homozygous polled | 14.6 | 0.22 | 2.51 | |
| 20 | not tested | 15.42 | 0.15 | 3.1 | |
| 21 | not tested | 13.81 | 0.12 | 2.39 | |
| 22 | not tested | 12.6 | 0.14 | 2.8 | |
| 23 | not tested | 13.6 | 0.15 | 2.22 | |
| 24 | homozygous polled | 13.54 | 0.22 | 4.84 | |
| 25 | homozygous polled | 15.1 | 0.22 | 2.26 | |
| 26 | heterozygous polled | 15.5 | 0.29 | 2.53 | |
| 27 | not tested | 14.25 | 0.21 | 2.11 | |
| 28 | not tested | 15.3 | 0.17 | 3.72 | |
| 29 | not tested | 13.1 | 0.22 | 3.14 | |
| 30 | not tested | no data | no data | no data | |
| 31 | OUT OF SALE | | | | |
| 32 | heterozygous polled | 14.32 | 0.17 | 2.37 | |
| 33 | homozygous polled | 15.01 | 0.17 | 2.51 | |
| 34 | not tested | 13.54 | 0.16 | 2.51 | |
| 35 | not tested | 14.62 | 0.22 | 2.22 | |
| 36 | not tested | 13.07 | 0.23 | 4.05 | |
| 37 | OUT OF SALE | | | | |
| 38 | not tested | 14.1 | 0.2 | 2.28 | |
| 39 | not tested | 14.97 | 0.09 | 2.06 | |
| 40 | homozygous polled | 16.01 | 0.13 | 2.83 | |
| 41 | OUT OF SALE | | | | |
| 42 | not tested | 14.52 | 0.19 | 2.93 | |
| 43 | not tested | 12.86 | 0.31 | 3.51 | |
| 44 | not tested | 13.6 | 0.25 | 3.13 | |
| 45 | scurred | 14.45 | 0.34 | 2.85 | |
| 46 | not tested | 13.87 | 0.26 | 2.44 | |
| 47 | not tested | 18.14 | 0.23 | 3.91 | |
| 48 | not tested | 13.87 | 0.16 | 2.31 | |
| 49 | OUT OF SALE | | | | |
| 50 | OUT OF SALE | | | | |
| 51 | Angus (HP) | 12.9 | 0.36 | 3.06 | |
| 52 | Angus (HP) | 13.9 | 0.33 | 3.93 | |

| | | | | |
|----|--------------------|-------|------|------|
| 53 | Angus (HP) | 13.9 | 0.42 | 3.46 |
| 54 | Angus (HP) | 14.2 | 0.31 | 3.79 |
| 55 | not tested | 12.01 | 0.48 | 4.9 |
| 56 | not tested | 12.36 | 0.47 | 4.28 |
| 57 | not tested | 12.42 | 0.27 | 3.6 |
| 58 | not tested | 13.5 | 0.24 | 4 |
| 59 | not tested | 11.02 | 0.32 | 5.95 |
| 60 | not tested | 13.2 | 0.18 | 2.12 |
| 61 | not tested | 12.21 | 0.44 | 3.62 |
| 62 | not tested | 13 | 0.4 | 2.61 |
| 63 | not tested | 14 | 0.33 | 3.46 |
| 64 | not tested | 14.58 | 0.25 | 3.43 |
| 65 | not tested | 12.92 | 0.27 | 3.16 |
| 66 | not tested | 11.8 | 0.21 | 2.88 |
| 67 | not tested | 11.03 | 0.16 | 3.43 |
| 68 | not tested | 12.05 | 0.23 | 3.51 |
| 69 | not tested | 10.81 | 0.19 | 3.55 |
| 70 | not tested | 11.67 | 0.31 | 3.08 |
| 71 | not tested | 12.58 | 0.19 | 4.17 |
| 72 | not tested | 10.76 | 0.23 | 2.36 |
| 73 | not tested | 14.39 | 0.29 | 3.46 |
| 74 | OUT OF SALE | | | |
| 75 | not tested | 12.55 | 0.22 | 3.73 |
| 76 | not tested | 11.9 | 0.28 | 2.72 |
| 77 | not tested | 11.68 | 0.39 | 3.88 |
| 78 | Angus (HP) | N/A | 0.59 | 4.91 |
| 79 | Angus (HP) | 11.1 | 0.27 | 5.07 |

Retaining 1 flush of a minimum of 8 embryos grade 1 & 2